LIN: RSYNC notes

```
rsync -av —progress /source/directory/ /destination/directory/
```

Copy files with archive mode, verbose output, and progress indication.

```
rsync -azP /local/file user@remote_host:/remote/directory/
```

Archive and compress files while copying them to a remote server, showing progress.

```
rsync -av —delete /local/directory/ user@remote_host:/remote/directory/
```

Synchronize directories; deletes files in the remote directory that no longer exist in the local directory.

```
rsync -avz —exclude='*.tmp' /local/directory/
user@remote_host:/remote/directory/
```

Synchronize with archive and compression, excluding temporary files.

```
rsync -rlt —include='*.jpg' —exclude='*' /local/directory/
user@remote_host:/remote/directory/
```

Recursively copy only JPEG files from the local directory to the remote server.

```
rsync -av —bwlimit=2000 /source/ user@remote_host:/destination/
```

Limit the bandwidth used during the transfer to 2000 Kbps.

```
rsync -av —dry-run /local/directory/ /destination/directory/
```

Simulate the operation to see what would be copied without actually making any changes.

```
rsync -az —info=progress2 /local/file user@remote_host:/remote/file
```

Show progress with additional information during a compressed file transfer to a remote server.

```
rsync -avz -e 'ssh -p 2222' /local/directory/
user@remote_host:/remote/directory/
```

Use SSH on a non-standard port (2222) to transfer files securely to a remote server.